
Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2011; month=11; day=9; hr=12; min=28; sec=1; ms=317;]

Validated By CRFValidator v 1.0.3

Application No: 09892613 Version No: 7.0

Input Set:

Output Set:

Started: 2011-11-02 15:16:04.463 **Finished:** 2011-11-02 15:16:07.274

Elapsed: 0 hr(s) 0 min(s) 2 sec(s) 811 ms

Total Warnings: 42
Total Errors: 0

No. of SeqIDs Defined: 71
Actual SeqID Count: 71

Error code		Error Description
W	213	Artificial or Unknown found in <213> in SEQ ID (1)
W	402	Undefined organism found in <213> in SEQ ID (2)
W	213	Artificial or Unknown found in <213> in SEQ ID (3)
W	213	Artificial or Unknown found in <213> in SEQ ID (4)
W	213	Artificial or Unknown found in <213> in SEQ ID (5)
W	213	Artificial or Unknown found in <213> in SEQ ID (6)
W	213	Artificial or Unknown found in <213> in SEQ ID (7)
W	213	Artificial or Unknown found in <213> in SEQ ID (8)
W	213	Artificial or Unknown found in <213> in SEQ ID (9)
W	402	Undefined organism found in <213> in SEQ ID (10)
W	213	Artificial or Unknown found in <213> in SEQ ID (11)
W	213	Artificial or Unknown found in <213> in SEQ ID (12)
W	213	Artificial or Unknown found in <213> in SEQ ID (13)
W	213	Artificial or Unknown found in <213> in SEQ ID (14)
W	213	Artificial or Unknown found in <213> in SEQ ID (15)
W	213	Artificial or Unknown found in <213> in SEQ ID (16)
W	213	Artificial or Unknown found in <213> in SEQ ID (17)
W	402	Undefined organism found in <213> in SEQ ID (18)
W	213	Artificial or Unknown found in <213> in SEQ ID (19)
W	213	Artificial or Unknown found in <213> in SEQ ID (20)

Input Set:

Output Set:

Started: 2011-11-02 15:16:04.463 **Finished:** 2011-11-02 15:16:07.274

Elapsed: 0 hr(s) 0 min(s) 2 sec(s) 811 ms

Total Warnings: 42
Total Errors: 0
No. of SeqIDs Defined: 71

Actual SeqID Count: 71

Error code		Error Description
W	213	Artificial or Unknown found in <213> in SEQ ID (21)
W	213	Artificial or Unknown found in <213> in SEQ ID (22)
W	213	Artificial or Unknown found in <213> in SEQ ID (23) This error has occured more than 20 times, will not be displayed
W	402	Undefined organism found in <213> in SEQ ID (26)
W	402	Undefined organism found in <213> in SEQ ID (33)
W	402	Undefined organism found in <213> in SEQ ID (34)
W	402	Undefined organism found in <213> in SEQ ID (49)
W	402	Undefined organism found in <213> in SEQ ID (50)

SEQUENCE LISTING

```
<110> LEUNG, SHAWN SHUI-ON
<120> REDUCING IMMUNOGENICITIES OF IMMUNOGLOBULINS BY
      FRAMEWORK-PATCHING
<130> SBL-001US
<140> 09892613
<141> 2001-06-27
<160> 71
<170> PatentIn version 3.3
<210> 1
<211> 369
<212> DNA
<213> Artificial Sequence
<220>
<223> FR-patched heavy chaim variable region sequence (Full DNA
      Sequence) formed by joining the N- and C- terminal (SEQ 3 and 6)
      halves at the KpeI site.
<220>
<221> V_region
<222> (1)..(369)
<400> 1
gaagtgcagc tgctggagtc tgggggaggc ttagtgcagc ctggagggtc cctgaggctc
                                                                      6.0
teetgtgeag eetetggatt eteetteagt atetatgaca tgtettgggt tegeeaggea
                                                                      120
ccgggaaagg ggctggagtg ggtcgcatac attagtagtg gtggtggtac cacctactat
                                                                      180
ccagacactg tgaagggccg attcaccatc tccagagaca atgccaagaa ctccctgtac
                                                                      240
ctgcaaatga acagtctgag ggtggaggac acagccttat attactgtgc aagacatagt
                                                                      300
ggctacggta gtagctacgg ggttttgttt gcttactggg gccaagggac tctggtcact
                                                                      360
gtctcttca
                                                                      369
<210> 2
<211> 123
<212> PRT
<213> Chimaera sp.
<400> 2
Glu Val Gln Leu Leu Glu Ser Gly Gly Leu Val Gln Pro Gly Gly
```

10

15

```
Ser Leu Arg Leu Ser Cys Ala Ala Ser Gly Phe Ser Phe Ser Ile Tyr
Asp Met Ser Trp Val Arg Gln Ala Pro Gly Lys Gly Leu Glu Trp Val
      35
               40
                                           45
Ala Tyr Ile Ser Ser Gly Gly Thr Thr Tyr Tyr Pro Asp Thr Val
   50
                     55
                                        60
Lys Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Ser Leu Tyr
                  70
                                    75
Leu Gln Met Asn Ser Leu Arg Val Glu Asp Thr Ala Leu Tyr Tyr Cys
             85
                            90
Ala Arg His Ser Gly Tyr Gly Ser Ser Tyr Gly Val Leu Phe Ala Tyr
          100
                 105
Trp Gly Gln Gly Thr Leu Val Thr Val Ser Ser
      115
                        120
<210> 3
<211> 111
<212> DNA
<213> Artificial Sequence
<220>
<223> N-template is a synthetic sense-strand oligonucleotide encoding
     amino acide 14-50 of the VH region (SEQ ID No. 2). The template
     is PCR-amplified by two primers (SEQ ID No. 4 and 5)
<220>
<221> V_region
<222> (1)..(111)
<400> 3
cctggagggt ccctgaggct ctcctgtgca gcctctggat tctccttcag tatctatgac
atgtcttggg ttcgccaggc accgggaaag gggctggagt gggtcgcata c
                                                               111
<210> 4
<211> 57
<212> DNA
<213> Artificial Sequence
<220>
```

<223> 5' Primer is a synthetic sense-strand oligonucleotide encoding

amino acid 1-19 of the VH region (SEQ ID No. 2). The 3' end of the primer overlaps with the 5'end of the template by 18 nucleotides.

```
<220>
<221> primer_bind
<222> (1)..(57)
<400> 4
gaagtgeage tgetggagte tgggggagge ttagtgeage etggagggte eetgagg
                                                                       57
<210> 5
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
<223> 3' Primer is a synthetic anti-sense-strand oligonucleotide
      encoding amino acid 43-59 of the VH region(SEQ ID No. 2). The
      primer overlaps with the template by 21 nucleotides.
<220>
<221> primer_bind
<222> (1)..(48)
<400> 5
gtaggtggta ccaccaccac tactaatgta tgcgacccac tccagccc
                                                                       48
<210> 6
<211> 132
<212> DNA
<213> Artificial Sequence
<220>
<223> C-terminal is a synthetic sense-strand oligonucleotide encoding
      amino acid 68-111 of the VH region (SEQ ID No 2) The template is
      PCR-amplified by two primers (SEQ ID No 7 and 8)
<220>
<221> V_region
<222> (1)..(132)
<400> 6
ttcaccatct ccagagacaa tgccaagaac tccctgtacc tgcaaatgaa cagtctgagg
                                                                       60
gtggaggaca cagccttata ttactgtgca agacatagtg gctacggtag tagctacggg
                                                                      120
gttttgtttg ct
                                                                      132
```

```
<212> DNA
<213> Artificial Sequence
<220>
<223> 5' Primer is a synthetic sense-strand oligonucleotide encoding
     amino acid 55-74 of the VH region (SEQ ID No 2). The 3' end of
     the primer overlaps with the 5'end of the template by 21
     nucleotides.
<220>
<221> primer_bind
<222> (1)..(60)
<400> 7
ggtggtacca cctactatcc agacactgtg aagggccgat tcaccatctc cagagacaat
                                                                       60
<210> 8
<211> 57
<212> DNA
<213> Artificial Sequence
<220>
<223> 3' Primer is a synthetic anti-sense-strand oligonucleotide
     encoding amino acid 105-123 of the VH region (SEQ ID No 2). The
     primer and the template overlaps by 21 nucleotides.
<220>
<221> primer_bind
<222> (1)..(57)
<400> 8
tgaagagaca gtgaccagag tcccttggcc ccagtaagca aacaaaaccc cgtagct
<210> 9
<211> 321
<212> DNA
<213> Artificial Sequence
<220>
<223> FR-patched light chaim variable region sequence formed by joining
     the N- and C- terminal (SEQ 11 and 14) halves at the KpeI site.
<220>
<221> V_region
<222> (1)..(321)
<400> 9
gatatccaga tgacccagtc tccatcctcc ctgtctgcct ctgtgggaga cagagtcacc
                                                                       60
attagttgca gggcaagtca ggacattagc aattatttaa actggtatca gcagaaacca
                                                                      120
```

ggtaaggctc cgaaactcct gatctactac actagtatat tacactcagg agtcccatca

aggttcagtg gcagtgggtc tggaacagaa tttactctca ccattagctc cctgcagcca 240 gaagattttg ccacttactt ttgccaacag ggtaatacgc ttccgtggac gttcggtgga 300 ggcaccaagg tggaaatcaa a 321 <210> 10 <211> 107 <212> PRT <213> Chimaera sp. <400> 10 Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly 10 5 Asp Arg Val Thr Ile Ser Cys Arg Ala Ser Gln Asp Ile Ser Asn Tyr 25 Leu Asn Trp Tyr Gln Gln Lys Pro Gly Lys Ala Pro Lys Leu Leu Ile 35 40 Tyr Tyr Thr Ser Ile Leu His Ser Gly Val Pro Ser Arg Phe Ser Gly 50 55 60 Ser Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro 70 75 65 Glu Asp Phe Ala Thr Tyr Phe Cys Gln Gln Gly Asn Thr Leu Pro Trp Thr Phe Gly Gly Gly Thr Lys Val Glu Ile Lys 100 105 <210> 11 <211> 108 <212> DNA <213> Artificial Sequence <220> <223> N-template is a synthetic sense-strand oligonucleotide encoding amino acid 11-46 of the VL region (SEQ ID No. 10). The template is PCR-amplified by two primers (SEQ ID No. 12 and 13) <220>

<221> V_region <222> (1)..(108)

```
<400> 11
```

ctgtctgcct ctgtgggaga cagagtcacc attagttgca gggcaagtca ggacattagc

aattatttaa actggtatca gcagaaacca ggtaaggctc cgaaactc

108

60

<210> 12

<211> 51

<212> DNA

<213> Artificial Sequence

<220>

<223> 5' Primer is a synthetic sense-strand oligonucleotide encoding amino acid 1-17 of the VH region (SEQ ID No 10). The 3' end of the primer overlaps with the 5'end of the template by 21 nucleotides.

<220>

<221> primer_bind

<222> (1)..(51)

<400> 12

gatatecaga tgacecagte tecatectee etgtetgeet etgtgggaga e 51

<210> 13

<211> 40

<212> DNA

<213> Artificial Sequence

<220>

<223> 3' Primer is a synthetic anti-sense-strand oligonucleotide encoding amino acid 40-53. The primer and the template overlaps by 18 nucleotides.

<220>

<221> primer_bind

<222> (1)..(40)

<400> 13

atatactagt gtagtagatc aggagtttcg gagccttacc

40

<210> 14

<211> 120

<212> DNA

<213> Artificial Sequence

<220>

<223> C-terminal is a synthetic sense-strand oligonucleotide encoding amino acid 59-98 of the VH region (SEQ ID No 10) The template is PCR-amplified by tow primers (SEQ ID No 15 and 16)

```
<221> V_region
<222> (1)..(120)
<400> 14
ccatcaaggt tcagtggcag tgggtctgga acagaattta ctctcaccat tagctccctg
cagccagaag attttgccac ttacttttgc caacagggta atacgcttcc gtggacgttc
                                                                      120
<210> 15
<211> 49
<212> DNA
<213> Artificial Sequence
<220>
<223> 5' Primer is a synthetic sense-strand oligonucleotide encoding
     amino acid 50-65 of the VH region (SEQ ID No. 10). The 3' end of
     the primer overlaps with the 5'end of the template by 21
     nucleotides
<220>
<221> primer_bind
<222> (1)..(49)
<400> 15
                                                                       49
ctacactagt atattacact caggagtccc atcaaggttc agtggcagt
<210> 16
<211> 48
<212> DNA
<213> Artificial Sequence
<220>
<223> 3' Primer is a synthetic anti-sense-strand oligonucleotide
     encoding amino acid 92-107 of the VH region (SEQ ID No 10). The
     primer and the template overlaps by 21 nucleotides.
<220>
<221> primer_bind
<222> (1)..(48)
<400> 16
                                                                       48
tttgatttcc accttggtgc ctccaccgaa cgtccacgga agcgtatt
<210> 17
<211> 371
<212> DNA
<213> Artificial Sequence
<220>
<223> FR-patched heavy chaim variable region sequence (Full DNA
     Sequence) formed by joining the N- and C- terminal (SEQ 19 and
     22) halves at the KpeI site.
```

<220> <221> V_region <222> (1)..(371) <400> 17 caggtgcaac tggtggcttc cggggctgag gtaaataagc ctggggcctc agtgaaggtc 60 tcctgcaagg cttctggcta cacatttacc agttacaata tgcactgggt acggcagcct 120 cctggaaggg gcctggaatg gattggagct atttatccag gaaatggtga tactagttac 180 aatcagaaat tcaagggcaa ggccacattg actgcagaca aatcctccag cacagcctac 240 atgcagetea geagtetgae atetgaggae tetgeggtet attactgtge aagategeae 300 tacggtagta actacgtaga ctactttgac tactggggcc aaggcaccac tgttacagtc 360 tcctctgatc a 371 <210> 18 <211> 123 <212> PRT <213> Chimaera sp. <400> 18 Gln Val Gln Leu Val Ala Ser Gly Ala Glu Val Asn Lys Pro Gly Ala Ser Val Lys Val Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Ser Tyr 20 25 Asn Met His Trp Val Arg Gln Pro Pro Gly Arg Gly Leu Glu Trp Ile 35 40 Gly Ala Ile Tyr Pro Gly Asn Gly Asp Thr Ser Tyr Asn Gln Lys Phe 50 55 6.0 Lys Gly Lys Ala Thr Leu Thr Ala Asp Lys Ser Ser Ser Thr Ala Tyr Met Gln Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Tyr Cys 85 90 Ala Arg Ser His Tyr Gly Ser Asn Tyr Val Asp Tyr Phe Asp Tyr Trp

105 110

115 120

```
<210> 19
<211> 114
<212> DNA
<213> Artificial Sequence
<220>
<223> N-template is a synthetic sense-strand oligonucleotide encoding
     amino acide 12-49 of the VH region (SEQ ID No. 18). The template
     is PCR-amplified by two primers (SEQ ID No. 20 and 21)
<220>
<221> V_region
<222> (1)..(114)
<400> 19
aataageetg gggeeteagt gaaggtetee tgeaaggett etggetaeae atttaceagt
                                                                       60
tacaatatgc actgggtacg gcagcctcct ggaaggggcc tggaatggat tgga
                                                                      114
<210> 20
<211> 57
<212> DNA
<213> Artificial Sequence
<220>
<223> 5' Primer is a synthetic sense-strand oligonucleotide encoding
     amino acid 1-19 of the VH region (SEQ ID No 18). The 3' end of
     the primer overlaps with the 5'end of the template by 24
     nucleotides.
<220>
<221> primer_bind
<222> (1)..(57)
<400> 20
caggtgcaac tggtggcttc cggggctgag gtaaataagc ctggggcctc agtgaag
                                                                       57
<210> 21
<211> 55
<212> DNA
<213> Artificial Sequence
<220>
<223> 3' Primer is a synthetic anti-sense-strand oligonucleotide
     encoding amino acid 43-60 of the VH region (SEQ ID No 18). The
     primer and the template overlaps by 21 nucleotides.
```

<220> <221> primer_bind

```
<222> (1)..(55)
<400> 21
tgtaactagt atcaccattt cctggataaa tagctccaat ccattccagg cccct
                                                                       55
<210> 22
<211> 126
<212> DNA
<213> Artificial Sequence
<220>
<223> C-terminal is a synthetic sense-strand oligonucleotide encoding
      amino acid 70-111 of the VH region (SEQ ID No 18) The template is
      PCR-amplified by tow primers (SEQ ID No 23 and 24)
<220>
<221> V_region
<222> (1)..(126)
<400> 22
ttgactgcag acaaatcctc cagcacagcc tacatgcagc tcagcagtct gacatctgag
                                                                       60
gactetgegg tetattactg tgcaagateg cactaeggta gtaactaegt agactaettt
                                                                      120
                                                                      126
gactac
<210> 23
<211> 61
<212> DNA
<213> Artificial Sequence
<220>
<223> 5' Primer is a synthetic sense-strand oligonucleotide encoding
      amino acid 57-76 of the VH region (SEQ ID No 18). The 3' end of
      the primer overlaps with the 5'end of the template by 21
      nucleotides.
<220>
<221> primer_bind
<222> (1)..(61)
<400> 23
tgatactagt tacaatcaga aattcaaggg caaggccaca ttgactgcag acaaatcctc
                                                                        61
<210> 24
<211> 59
<212> DNA
<213> Artificial Sequence
```

<220>

```
encoding amino acid 105-123 of the VH region (SEQ ID No 18). The
      primer and the template overlaps by 21 nucleotides.
<220>
<221> primer_bind
<222> (1)..(59)
<400> 24
                                                                       59
tgatcagagg agactgtaac agtggtgcct tggccccagt agtcaaagta gtctacgta
<210> 25
<211> 321
<212> DNA
<213> Artificial Sequence
<220>
<223> FR-patched light chaim variable region sequence (Full DNA
      Sequence) formed by joining the N- and C- terminal (SEQ 27 and
      30) halves at the BspEI site.
<220>
<221> V_region
<222> (1)..(321)
<400> 25
gatattcaac tcacacagtc tccatcaagt ctttctgcat ctgtggggga cagagtcaca
                                                                       60
attacttgca gggccagctc aagtttaagt ttcatgcact ggtaccagca gaagccagga
                                                                      120
tcctcccca aaccctggat ttatgccaca tccaacctgg cttccggagt ccctagtcgc
                                                                      180
                                                                      240
ttcagtggca gtgggtctgg gaccgagttc actctcacaa tcagcagttt gcagcctgaa
gatttegeea ettatttetg eeateagtgg agtagtaace egeteaegtt eggtgetggg
                                                                      300
accaagctga ccgttctacg g
                                                                      321
<210> 26
<211> 107
<212> PRT
<213> Chimaera sp.
<400> 26
Asp Ile Gln Leu Thr Gln Ser Pro Ser Ser Leu Ser Ala Ser Val Gly
                                    10
                                                        15
Asp Arg Val Thr Ile Thr Cys Arg Ala Ser Ser Ser Leu Ser Phe Met
```

<223> 3' Primer is a synthetic anti-sense-strand oligonucleotide

His Trp Tyr Gln Gln Lys Pro Gly Ser Ser Pro Lys Pro Trp Ile Tyr

25

3.0

35 40 45

Ala Thr Ser Asn Leu Ala Ser Gly Val Pro Ser Arg Phe Ser Gly Ser 55 50 Gly Ser Gly Thr Glu Phe Thr Leu Thr Ile Ser Ser Leu Gln Pro Glu 70 75 Asp Phe Ala Thr Tyr Phe Cys His Gln Trp Ser Ser Asn Pro Leu Thr 85 90 Phe Gly Ala Gly Thr Lys Leu Thr Val Leu Arg 100 105 <210> 27 <211> 129 <212> DNA <213> Artificial Sequence <220> <223> N-template is a synthetic sense-strand oligonucleotide encoding amino acide 9-51 of the VL region (SEQ ID No. 26). The template is PCR-amplified by two primers (SEQ ID No. 28 and 29) <220> <221> V_region <222> (1)..(129) <400> 27 tcaagtcttt ctgcatctgt gggggacaga gtcacaatta cttgcagggc cagctcaagt ttaagtttca tgcactggta ccagcagaag ccaggatcct cccccaaacc ctggatttat 120 gccacatcc 129 <210> 28 <211> 45 <212> DNA <213> Artificial Sequence <220> <223> 5' Primer is a synthetic sense-strand oligonucleotide encoding amino acid 1-15 of the VH region (SEQ ID No 26). The 3' end of the primer overlaps with the 5'end of the template by 21 nucleotides.

<221> primer_bind <222> (1)..(45)

<220>

```
<210> 29
<211> 40
<212> DNA
<213> Artificial Sequence
<220>
<223> 3' Primer is a synthetic anti-sense-strand oligonucleotide
      encoding amino acid 45-57. The primer and the template overlaps
     by 21 nucleotides.
<220>
<221> primer_bind
<222> (1)..(40)
<400> 29
                                                                       40
ggactccgga agccaggttg gatgtggcat aaatccaggg
<210> 30
<211> 120
<212> DNA
<213> Artificial Sequence
<220>
<223> C-terminal is a synthetic sense-strand oligonucleotide encoding
      amino acid 61-100 of the VH region (SEQ ID No 26) The template is
      PCR-amplified by tow primers (SEQ ID No 31 and 32)
<220>
<221> V_region
<222> (1)..(120)
<400> 30
ttcagtggca gtgggtctgg gaccgagttc actctcacaa tcagcagttt gcagcctgaa
gatttcgcca cttatttctg ccatcagtgg agtagtaacc cgctcacgtt cggtgctggg
                                                                      120
<210> 31
<211> 43
<212> DNA
<213> Artificial Sequence
<220>
<223> 5' Primer is a synthetic sense-strand oligonucleotide encoding
      amino acid 54
```